## St Marys Public School – An Asthma Friendly School

## **Student Asthma Record.**

Asthma represents a major health problem in the Australian community and asthma affects one in four young children and one in seven adolescents. Many are unidentified or not yet diagnosed as having asthma.

As a common chronic illness in childhood it is widely recognised that many of the problems associated with asthma impact on a child's education.

An Asthma Friendly School is one that adopts and works towards strategies that actively support the whole school community in the management of asthma.

A separate record is required for each child. Parents / Carers are asked to complete this form and return it to the school office.

Please print answers clearly in the blank spaces where indicated and tick ( $\checkmark$ ) the appropriate box.

Student Details				
Student's Name:		(FIRST NAME)	Gender: M	F
Date of Birth:/	/ Class:	Teach	er:	
Parent / Carer Name:		Relatio	nship:	
Telephone No:		(Hm)		(Wk)
Emergency Contact l	Name:	Relation	ship:	
Telephone No:		(Hm)		(Wk)
Doctor:		Telepl	hone No:	
	Does you	r child have as	thma?	
Yes		No		
For <u><b>Yes</b></u> – co	entinue to co	omplete the form	n over th	ne page.
	ase sign and chool.	d date the form	below a	nd return it
	t / Carer Signature		 Date	 :

Usual Asthma Manageme	nt Plan					
Child's symptoms (e.g. cough):						
<b>Triggers</b> (e.g. exercise, pollens)	:					
<b>Medication requir</b>	ements:					
Name of Medication	Method (e.g. puffer & spacer, turbuhaler)	When, and how much?				
	333.8.3.3.3.3					
In an <b>Emergency</b> follow the pla	n below that has been ticked (✓)					
Standard Asthma First Aid Plan						
Step 1 Sit the student upright, remain	calm and provide reassurance. Do not lea	ive student alone.				
	puffer (Airomir, Asmol, Bricanyl or Ventore 4 breaths from the spacer after each puf	olin), one puff at a time, preferably throught.				
Step 3 Wait 4 minutes						
<b>Step 4</b> If there is little or no improver Continue to repeat steps 2 and 3 while	ment, call an ambulance immediately (Dia waiting for the ambulance.	1 000)				
* Use a blue reliever puffer (Airomir, A	asmol, Bricanyl or Ventolin) on its own if	no spacer is available				
OR						
My child's Asthma Firs	st Aid Plan (attached)					
Additional Comments:						
taking asthma medication should	low the preferred Asthma First Aid they require help. I will notify you ease contact me if my child require toms at school.	u in writing if there are any				
Signature of Parent / Carer :		Date:				